

| Product Code | Description | Part No. | Stock |
|------------------|-------------------------------------|------------------|-------|
| 502579-0000 | Connector | 502579-0000 CC | 15950 |
| 5940-99-945-3834 | Terminal Lug | 36160 | 12907 |
| 16FW004062 | Nylon Washer | 16FW004062 | 8000 |
| T30R-HS | Cable Tie Natural | T30R-HN3P | 6000 |
| 5975-99-901-1328 | Sleeve | B05948 | 5089 |
| 8042560000VR | Washer M2 Nylon 6.6 | 8042560000VR | 5000 |
| 5905-99-013-6064 | Resistor | 99-013-6064 | 4970 |
| 5975-99-910-7360 | Sleeve Ident (sold in pks of 1000) | 99-910-7360 | 4500 |
| 5940-00-838-0407 | Terminal, Lug (Airworthy) | 322986 | 4211 |
| 5940-99-913-0516 | Terminal Lug Ring Vynil | 31906 | 3943 |
| 5970-99-434-6374 | Insulation Sleeving Electrical | 5970-99-434-6374 | 3500 |
| 5975-99-910-7257 | Sleeve | B05024 | 3477 |
| T18R-HS | Cable Tie Natural | T18RHN7P | 3000 |
| 5975-99-910-7295 | Sleeve (Packs Of 10) | B05001 | 2980 |
| 0965183 | CAB 1/0.8 YEL PFA 1CORE | 0965183 | 2800 |
| 5975-00-156-3253 | Strap Tiedown | TY-28M | 2787 |
| N300-2630N-5/4 | Wire, 16AWG UL1010, Green/Yellow | N300-2630N-5/4 | 2500 |
| INDMN1400 | Battery | INDMN1400 | 2500 |
| 100265 | P Clip | 22CC16A0062B | 2500 |
| NRQP-318FSJ | Cable Foil Shld 18AWG 3TWPR | TMT-50288 | 2000 |
| NQP-424SJ | CABLE HI-FLEX 24 AWG 4TP | C150010300 | 2000 |
| NQP-1220SJ | Cable 20AWG 12TP SCN | C150009900 | 2000 |
| HWM14-030 | Nut | HWM14-030 | 2000 |
| D2MQ-IL | Cherry Micro Switch | ACCES2-10808 | 2000 |
| BGR6 | Grommet | BGR6 | 2000 |
| 9ML414817-00 | Resistor | 562R-2512 | 1800 |
| 5905-99-013-5445 | Resistor Fix 13R - +1% 1W | MFR3S 13F | 1780 |
| 5975-99-910-7197 | Sleeve Marker Cable | MP75X10WHITE9 | 1720 |
| NRQP-318SJ | Cable 18AWG 3PR | TMT-50337 | 1530 |
| 0965147 | CAB 7/0.2 ETFE 3CORE 100M DRUM | 700021662 | 1500 |
| 0082010000VR | Plastic Screw | 0082010000VR | 1500 |

| | | | |
|------------------|---|------------------|------|
| 5340-99-914-0987 | Plug Protect | SP330-13 | 1403 |
| 5975-99-910-7308 | Sleeve, Identification Cable | B05002 | 1355 |
| MILCAB-3503 | WIRE MILW16878/4 19/0.16 TY E BLACK | MILCAB-3503 | 1300 |
| 5940-99-197-0095 | Splice (in sealed pks of 50) | 320562 | 1250 |
| MILCAB-3505 | WIRE MILW16878/4 19/0.16 TY E GREY | MILCAB-3505 | 1200 |
| NQP-1024SJ | Cable Hi-Flex 10TP | C150006300 | 1070 |
| B709-01-133 | Spacer (Screen) | B709-01-133 | 1008 |
| NRQP-1224SJ | Wire 24AWG 12 TW/PR | TMT-50345 | 1000 |
| NQP-618FSJ | TWIS GRY PVC 6 TP SHI 18 awg | SE01640 | 1000 |
| MILCAB-3501 | WIRE MILW16878/4 19/0.16 TY E RED | MILCAB-3501 | 1000 |
| MILCAB-3418 | WIRE MILW16878/4 7/0.20 TY E WT-BN | MILCAB-3418 | 1000 |
| INDMN2400 | Battery | INDMN2400 | 1000 |
| INDMN1604 | Battery | INDMN1604 | 1000 |
| INDMN1500 | Battery | INDMN1500 | 1000 |
| INDMN1300 | Battery | INDMN1300 | 1000 |
| 5905-99-013-6202 | RES FIX | MFR4 36RF | 1000 |
| 0963056 | CAB 19/0.2 BLACK ETFE 2CORE | 700021661 | 1000 |
| 041040000001 | Washer | 41040000001 | 1000 |
| 5905-99-112-4084 | Resistor Fixed Film | B803104NB2-2KOHM | 950 |
| 5340-99-795-8219 | Strap | LK2C | 943 |
| 5940-99-712-4975 | TERMINAL LUG (Airworthy) | 150317 | 940 |
| MS27488-20-2 | Sealing Plug Size 20 | MS27488-20-2 CC | 919 |
| 5940-99-900-5805 | Ring Terminal (Airworthy) | 330648 | 905 |
| 0967679 | Con 4 Male Hirschmann | GSP 311 | 903 |
| 5940-99-621-9975 | Terminal Lug | 130572 | 900 |
| 5975-99-910-7438 | Sleeve | MPM15X3YW | 860 |
| MP20X5-C/C-0 | Sleeve Ident Cable BLK | MP20X5 C/C 0 | 800 |
| 46235-5002 | Pin Terminal | 46235-5002 | 800 |
| BSA125-B77 | Stiff Nut | BSA125-B77 | 776 |
| 9905-99-415-9677 | MOD LABEL | 372-100-44 | 750 |
| 5330-99-412-8367 | Gasket | A84979 | 744 |
| MS27488-16-2 | Sealing Plug Size 16 | MS27488-16-2 CC | 707 |
| MILCAB-3422 | WIRE MILW16878/4 7/0.20 TY E GN-BN STRIPE | MILCAB-3422 | 700 |

| | | | |
|---------------------|--|---------------------|-----|
| MBT27H-S.M2P | Ball-Loc Cable Tie 681mm x 7.9mm | MBT27H-S.M2P | 700 |
| 5940-99-647-1143 | Conductor | D-101-00 | 680 |
| 5915-01-022-8169 | FILTER, RADIO | 51-353-101 | 673 |
| MILCAB-3509 | WIRE MILW16878/4 19/0.16 TY E WHITE | MILCAB-3509 | 600 |
| NQP-1524SJ | Cable Multi-Paired Scrn | NQP-1524SJ | 520 |
| NVP-924FSJ | Cable Rough Usage 9 TW/PRS | TMT-50292 | 500 |
| NVP-524FSJ | Cable 5 Pairs Shld 24AWG | TMT-10817 | 500 |
| NRQP-1528SJ | Cable 15Pair 28AWG | TMT-50332 | 500 |
| MILW16787/4.-7/0.20 | MILW16787/4.-7/0.20 Strands 24AWG WHITE | MILW16787/4.-7/0.20 | 500 |
| MILCAB-3510 | WIRE MILW16878/4 19/0.16 TY E PINK (BUY PRICE 0.17 per | MILCAB-3510 | 500 |
| A9150 | Seal | A9150 | 500 |
| 700037795 | 5 core teflon cable with sheilding | 700037795 | 500 |
| 5940-99-621-8451 | Termination | 51-864-9 | 500 |
| 5331-14-281-6212 | Ring Seal Toroidal | 9933336 | 489 |
| 5905-99-013-5943 | Resistor | BSCEEC40101-019 | 480 |
| 5940-99-712-4979 | Terminal (Airworthy) | 324159 | 478 |
| 5940-99-647-6943 | Terminal Lug (Airworthy) | 152897 | 476 |
| 5970-99-947-0443 | Sleeving PVC | S11 | 450 |
| 5940-14-296-1170 | Terminal Lug (Airworthy) | 1-320551-3 | 450 |
| 5920-99-059-0137 | Fuse Cartridge 0.500A | 99-059-0137 | 413 |
| 6230-00-111-0190 | Filter Flashlight Red | 4228R | 412 |
| MILCAB-3512 | WIRE MILW16878/4 19/0.16 TY E WT-RD | MILCAB-3512 | 400 |
| MILCAB-3508 | WIRE MILW16878/4 19/0.16 TY E YW | MILCAB-3508 | 400 |
| 6230-00-504-8342 | Filter Flashlight Amber | 4228Y | 400 |
| 5940-99-642-0588 | Sleeve Solder | D142-54 | 400 |
| 0967586 | Con 4 Male Hirschmann | GSP-316 | 400 |
| 5940-01-136-2540 | Splice Conductor | SO102R | 399 |
| 5935-99-911-6861 | Socket Electrical | C2-5 | 393 |
| 5940-99-107-3554 | Terminal Lug 4BA | 33476 | 380 |
| 502578-1000 | Connector | 502578-1000 CC | 355 |
| 5935-99-520-8433 | Adaptor, Connector, Elec | GE512-99 | 350 |
| 5940-99-651-9549 | Terminal Lug (Airworthy) | C322337 | 332 |
| 5940-99-195-6980 | Terminal Lug | 99-195-6980 | 320 |

| | | | |
|------------------|---|------------------|-----|
| 5940-99-642-4434 | Terminal Lug (Airworthy) | 152892 | 301 |
| R60-20-30S | Grommet | R60-20-30S | 300 |
| MILCAB-3608 | WIRE MILW16878/4 19/0.20 TY E YW | MILCAB-3608 | 300 |
| MILCAB-3507 | WIRE MILW16878/4 19/0.16 TY E BLUE | MILCAB-3507 | 300 |
| MILCAB-3504 | WIRE MILW16878/4 19/0.16 TY E BROWN | MILCAB-3504 | 300 |
| MILCAB-3401 | WIRE MILW16878/4 7/0.20 TY E RED | MILCAB-3401 | 300 |
| 5975-99-910-7334 | Sleeve (pks of 10) | BS3858 | 300 |
| 5940-99-114-7771 | POA TAG (AirWorthy) | 328657 | 300 |
| 5935-99-967-6211 | Quick Disconnect Receptacle | 735278 | 300 |
| 55A0111-24-9 | EQUIP WIRE WHITE RAYCHEM 24AWG | 55A0111-24-9 | 300 |
| 5940-99-104-6232 | Terminal Lug | 322218 | 278 |
| 5940-00-923-4493 | Splice Conductor | 00-923-4493 | 270 |
| 1365011 | Support | 1365011 | 267 |
| NQP-324SJ | Cable Twisted Pair 24AWG | 818153300 | 250 |
| M63540/1-38 | Stud Cadium Self Locking | 5307-01-359-9316 | 250 |
| 5940-99-335-6352 | Splice Conductor (Pack of 25) | 99-335-6352 | 241 |
| A10693 | Compression Bung | A10693 | 240 |
| 1365030 | Bracket | 1365030 | 230 |
| TLC2543CDB | Intergrated Circuit | TLC2543CDB | 228 |
| 5935-14-359-6499 | Terminal (Airworthy) | 16500-1 | 228 |
| IM11-21219 | Nozzle | IM11-21219 | 205 |
| MILCAB-3454 | WIRE MILW16878/4 7/0.20 TY E RD-BN STRIPE | MILCAB-3454 | 200 |
| MILCAB-3453 | WIRE MILW16878/4 7/0.20 TY E RD-OG | MILCAB-3453 | 200 |
| MILCAB-3448 | WIRE MILW16878/4 7/0.20 TY E PK-BN STRIPE | MILCAB-3448 | 200 |
| MILCAB-3445 | MILW16878/4 7/0.20 TY E PK-BK | MILCAB-3445 | 200 |
| MILCAB-3421 | WIRE MILW16878/4 7/0.20 TY E GN-OG STRIPE | MILCAB-3421 | 200 |
| MILCAB-3416 | WIRE MILW16878/4 7/0.20 TY E WT-BK STRIPE | MILCAB-3416 | 200 |
| MILCAB-3408 | WIRE MILW16878/4 7/0.20 TY E Yellow | MILCAB-3408 | 200 |
| H2P-PA66-NA | P Clip | H2P-PA66-NA | 200 |
| 5940-14-343-5050 | SPLICE CONDUCTOR | D-142-50 | 200 |
| 5935-99-881-5798 | Cover | 10-70500-16 | 200 |
| 5905-99-763-2012 | Resistor Fixed Film 6.65 Ohms 0.1% | BSCECC40101-004 | 200 |
| 44A0211-26-9 | WIRE 26 AWG 1000V WHITE | 44A0211-26-9 | 200 |

| | | | |
|------------------|-------------------------------------|----------------|-----|
| 360041640142 | Black Cable Tie T30R | 111-03030 | 200 |
| M39029/44-287 | CONNECTOR | M39029/44-287 | 190 |
| 5980-01-016-8137 | LED Orange | MV5153 | 182 |
| 5920-99-087-5044 | Fuse Cartridge | C519-250MA | 177 |
| 6230-00-504-8341 | Flashlight Filter | 4228G | 176 |
| 5940-99-712-4985 | Terminal (Airworthy) | 320574 | 171 |
| 5935-99-519-9807 | ADAPTER,CONNECTOR | GE501 | 170 |
| 1365031 | Bracket | 1365031 | 170 |
| 4730-99-552-2549 | Union | 101826 | 169 |
| 700027237 | CAB 7/0.2 BLACK PTFE 1COREREEL | 0965165 | 155 |
| OXLCLH80P | Light Indicator 2.2 Volts Green | LH34GREEN | 150 |
| 6240-99-743-4151 | Indicator Neon Electrical | L024500 | 150 |
| 5940-00-257-1268 | Terminal Lug | 51864-7 | 150 |
| 5920-01-101-3360 | Fuse Cartridge | MDA20 | 149 |
| 5340-99-434-5964 | Clamp Loop (Cure Date) | AS4525-6 | 147 |
| 5940-99-193-5492 | Terminal Lug | 35476 | 139 |
| 5999-01-106-7076 | Contact | M3902956-348 | 134 |
| 5940-99-642-0590 | TERMINAL LUG (Airworthy) | 152894 | 131 |
| 5961-99-118-4951 | Transistor (Air Worthy) | 2N3440 | 130 |
| 5905-99-013-5574 | Resistor | CECC40101-019 | 130 |
| 5990-99-014-9806 | Synchro | 11CT4E | 125 |
| 5910-01-079-0322 | CAPACITOR M39006/22-0360 | M39006/22-0360 | 125 |
| 5940-99-193-2127 | Terminal Lug (Airworthy) | 323199 | 120 |
| 5920-99-634-2764 | Fuse Link | 23-0006 | 120 |
| 80-10-1560-YW | CAP 80/10/1560/YELLOW | 2333B0096 | 115 |
| S505-10-R | Fuse | S505-10-R | 110 |
| 5970-99-624-9415 | Insulation Sleeving CLEAR | RNF100 TYPE 2 | 110 |
| 5940-99-742-0065 | Terminal Lug (Airworthy) | 320564 | 104 |
| R281BE | Conduit Box Cover pkt (100) | R281BE | 100 |
| MILCAB-3750 | WIRE 19/.28 M-W-16878 BLK (EE) | MILCAB-3750 | 100 |
| MILCAB-3613 | WIRE MILW16878/4 19/0.20 TY E WT-GN | MILCAB-3613 | 100 |
| MILCAB-3605 | WIRE MILW16878/4 19/0.20 TY E GY | MILCAB-3605 | 100 |
| MILCAB-3576 | Wire MILW16878/4 19/0.16 TY E OG-YW | MILCAB-3576 | 100 |

| | | | |
|------------------|---|------------------|-----|
| MILCAB-3537 | WIRE MILW16878/4 19/0.16 TY E GY-BN STRIPE | MILCAB-3537 | 100 |
| MILCAB-3535 | WIRE MILW16878/4 19/0.16 TY E GY-BK | MILCAB-3535 | 100 |
| MILCAB-3517 | MILW16878/4 19/0.16 TY E WT-OG | MILCAB-3517 | 100 |
| MILCAB-3515 | WIRE MILW16878/4 19/0.16 TY E WT-GY | MILCAB-3515 | 100 |
| MILCAB-3460 | WIRE MILW16878/4 7/0.20 TY E BU-OG STRIPE | MILCAB-3460 | 100 |
| MILCAB-3455 | WIRE MILW16878/4 7/0.20 TY E RD-YW STRIPE | MILCAB-3455 | 100 |
| MILCAB-3425 | WIRE MILW16878/4 7/0.20 TY E GN-YW STRIPE | MILCAB-3425 | 100 |
| MILCAB-3419 | WIRE MILW16878/4 7/0.20 TY E WT-YW STRIPE | MILCAB-3419 | 100 |
| MILCAB-3417 | WIRE MILW16878/4 7/0.20 TY E WT-OG STRIPE | MILCAB-3417 | 100 |
| MILCAB-3411 | WIRE MILW16878/4 7/0.20 TY E VT | MILCAB-3411 | 100 |
| MILCAB-3409 | WIRE MILW16878/4 7/0.20 TY E White | MILCAB-3409 | 100 |
| MAT26904329636 | Ring Terminal | Mat 26904 329636 | 100 |
| M22759/16-22-9 | Equip Wire 22AWG WT | M22759/16-22-9 | 100 |
| M16878/4-BEB | MILW16878/4-7.20 Type White/Pink (no cofc or trace) | M16878/4-BEB | 100 |
| M16878/4-7/30 | M16878/4-7/30 Strands 20 AWG BLACK | M16878/4-7/30 | 100 |
| DP65050 | Transparent Plastic Cups | DP65050 | 100 |
| 700043187 | M 2219 NPC - STM 5 | 700043187 | 100 |
| 5970-99-520-6757 | Insulation Sleeving Elec | THERM0F1TPVC | 100 |
| 5940-00-813-0698 | Terminal Lug | 326878 | 100 |
| 5940-00-611-3945 | Splice Set (3 pc set) (Airworthy) | M6852-3 | 100 |
| 55A0111-24-8 | Equip Wire Grey Raychem 24AWG | 55A0111-24-8 | 100 |
| 0968145 | Cardboard Tube | 0968145 | 100 |
| PANASONIC-D | Panasonic Zinc D Cell | PANR20R | 94 |
| 5940-99-760-8984 | TERMINAL (Airworthy) | 735279 | 93 |
| 5340-99-223-3883 | Strap Line Supporting | LK0 | 93 |
| 5935-01-192-0060 | Backshell (Airworthy) | M850049/53-10A | 92 |
| 5970-12-186-8150 | Sleeve Blind | AT031-01 | 91 |
| 5940-99-775-2979 | TERMINAL LUG | 342116-1 | 90 |
| 5910-99-551-3867 | Capacitor | ALS30A472DB040 | 90 |
| 5910-99-116-7640 | Capacitor 680pF + 5& 500V dc wkg | CMO6DD681JP3 | 90 |
| 5935-00-504-4028 | Jack Telephone | AN3117-1 | 88 |
| 5961-00-951-8757 | Transistor | JAN2N2222A | 87 |
| 80/10/1560RD | Red Lens Cap | 2333B0095 | 86 |

| | | | |
|------------------|--|------------------|----|
| 5935-99-254-2993 | Back Shell | KTKK0445 | 84 |
| XGK3-88 | Burgess Microswitch | XGK3-88 | 82 |
| N05812 | Spacer Slev Acetal | N05812 | 80 |
| 5999-14-438-6213 | Contact | 8526-1346 | 80 |
| 5920-99-014-9573 | Fuse Cartridge | TDA304 | 80 |
| NRWC-1912J | Cable | NRWC-1912J | 79 |
| 6210-99-594-5074 | Lens | 4313-324-50081 | 78 |
| 6240-12-344-9971 | Lamp Incandescent | R0923BA9S1402.2W | 76 |
| G61A3X6/2 | Gremtube | G61A3X6/2 | 75 |
| 6032-01-353-7981 | Light Emitting Diode | F120-CWLY5 | 75 |
| 5905-99-013-5794 | RESISTOR FIXED FILM | 99-013-5794 | 75 |
| 2335B0008 | Guard STC TYPE | MF080-01 | 75 |
| 2333B0617 | Led Indicating Green 8mm 24V | 110-5304 | 75 |
| 2333B0615 | Led Indicating Green 8mm 230V | 110-5379 | 75 |
| PLUG1 | Easy-pull Plug | PLUG1 | 70 |
| 5910-99-630-8210 | Capacitor | K5160V470KJ | 68 |
| 02-1450 | Insulating Kit | 2333B0080 | 67 |
| 5940-99-736-5548 | Splice Conductor | B-051-00-01 | 62 |
| MBT20S-S.M3P | S/S Ball-Loc Cable Tie 4.6mm W x 520mm LG (100 PK) | MBT20S-S.M3P | 60 |
| 5970-99-539-0185 | Insulation Sleeving 15 mtr lenghts | RNF100 | 60 |
| 5962-99-648-2637 | Microcircuit Digital | 4047B | 60 |
| 5905-99-013-6365 | Resistor | TR4-13KOHMS | 60 |
| 5935-99-800-1031 | Backshell | KTKK0448 | 59 |
| 5340-99-999-5933 | Adjustable Clip | AS4580-3 | 57 |
| 3425-6600 | Socket | 3425-6600 | 56 |
| 6230-01-362-4812 | Underwater Kinetics 040 Lime Green Torch | Mini Q40 Xenon | 55 |
| 5920-12-190-2557 | Fuse | 12-190-2557 | 55 |
| 1080.10.91.040 | Cable Gland | 1080.10.91.040 | 55 |
| 1365003 | Back Enclosure | 1365003 | 54 |
| 1365002 | Front Enclosure | 1365002 | 54 |
| 2TL1-2 | SWITCH, TOGGLE | 2415T0023 | 53 |
| MS27488-16CC | Sealing Plug 16GA | MS27488-16 | 50 |
| MP155-127-220S | Standard rubber mushroom plug | Coe G11 | 50 |

| | | | |
|------------------|--|------------------|----|
| 5970-99-664-4405 | Insulation Sleeving | RW-175 | 50 |
| 5970-99-257-7813 | Cable Sleeve Ground Raychem | DCPT-8/4-45 | 50 |
| 5970-99-114-3039 | Sleeve Cable | H12 | 50 |
| 5961-99-627-8940 | Transistor | 2N6259 | 50 |
| 5905-99-014-0579 | Resistor Fixed W/W | 2E56255K | 50 |
| 5905-99-013-6271 | RES FIX 27k Plus or minus 1% 1/4W | MFR4 27KF | 50 |
| 5905-99-013-5618 | Resistor | BSCECC40101-019D | 50 |
| 5340-99-801-6932 | Left Hand & Right Hand Endlocks | 03/1240 / 41 | 50 |
| 5970-99-945-2623 | Sleeving PVC 100mtr lenghts | 99-945-2623 | 49 |
| 5940-99-620-7236 | Terminal Lug (Airworthy) | 32456 | 49 |
| 1TL1-2 | SWITCH,TOGGLE,1 POLE, HONEYWELL | 2415B0040 | 48 |
| 5940-99-795-8483 | Splice | D101-36 | 47 |
| 5940-01-526-5967 | Terminal Lug | BACT12AU17 | 47 |
| 6230-00-264-8261 | Torch Hand Held Green 7 1/2 in | N47 | 46 |
| 6210-99-342-1026 | Light Indicator | L0081OOGREEN200/ | 46 |
| 5905-99-625-7580 | 3329P-1-201 | 3329P-1-201 | 46 |
| 5970-12-151-4485 | Shrink-On | RW-200-E 3/8-OSP | 45 |
| 5961-99-790-0665 | Semiconductor | BYW30-200 | 45 |
| 5940-99-950-8303 | Terminal Lug Ring 15AWG (Airworthy) | 34107 | 45 |
| 5940-99-760-8203 | Splice | D-103-36 | 45 |
| 5905-99-013-6261 | Resistor Fixed 10K Plus Or Minus 1% 1/4W | MFR4 10KF | 45 |
| 5961-00-026-9661 | DIODE | JANTX1N5622 | 44 |
| 5999-14-405-0019 | Contact | 8526-1347 | 42 |
| MS27488-16 | Filler Plug Size 16 | MS27488-16 | 41 |
| 6230-99-522-6250 | Torch 1/4" Black UK302 | UK302 | 41 |
| 80/10/1560GN | Green Lens Cap | 2333B0097 | 40 |
| 6032-99-780-2700 | LED | 99-780-2700 | 40 |
| 5962-15-117-8939 | Microcircuit Digital | 15-117-8939 | 40 |
| 5961-99-118-4588 | Transistor | 2N2369A | 40 |
| 5961-00-066-5460 | Transistor | 2N859 | 40 |
| 5935-99-254-2996 | BACKSHELL | KTKK0449 | 40 |
| 19051253 | LED INTEG.RESISTOR 12V HE RED | 19051253 | 38 |
| CRJ45C6SOL | Connector | CRJ45C6SOL | 37 |

| | | | |
|------------------|--------------------------------|------------------|----|
| 2010-99-831-5520 | Cover Plastic Blade Bolt | D/SSC/ME112/332/ | 37 |
| 5970-99-434-6835 | Insulation Sleeving Electrical | 208A032-3 | 36 |
| 5961-99-118-7847 | Transistors | 2N3792 | 36 |
| 1365051 | Nameplate | Drg1365051 Iss 3 | 36 |
| 5905-99-013-5500 | Resistor | 007502274 | 35 |
| CR0332 | Resistor , 90 meg OHM 10% | CR0332 | 34 |
| 5940-99-972-2266 | Terminal Taper Pin, Electrical | HC2245/H204 | 33 |
| 5365-99-537-7642 | Rubber Bushing | CA18220-108 | 33 |
| 5330-99-300-2882 | Ring Sealing Small | A040080 | 33 |
| 2333B0211 | Cap Dimming T1.3/4 | 02/1759/BLU | 33 |
| 5940-99-522-8047 | Terminal Lug | YAV2CM8 | 32 |
| 5935-99-999-5224 | COVER ELECTRICAL CONNECTOR | GE10001 | 32 |
| 5920-99-636-5164 | Fuse Link | L1330A/500A | 32 |
| 501381-2 | Connector | F04-7722 | 32 |
| 2280B0057 | I.C. | MM54C85J | 32 |
| 6150-00-814-5905 | Lead Electrical | 740A-10-4 | 31 |
| 5962-14-284-0918 | Digital Microcircuit | SN7440N | 31 |
| 5905-14-301-5632 | Rheostat | RT12LC220BN100UK | 31 |
| AML92EGL | Diode | 2333B0447 | 30 |
| 5999-99-772-3986 | Contact | 600222 | 30 |
| 5940-99-651-0804 | Splice (Airworthy) | 323994 | 30 |
| 5935-99-944-8102 | SOCKET | 6144 | 30 |
| 5935-99-519-9828 | ADAPTER,CONNECTOR | SAST102405 | 30 |
| M83413/8G06BB | Bonding lead 6" long | 5940-00-113-8185 | 29 |
| 5940-00-113-8185 | Connector | 328975 | 29 |
| 5905-99-017-4538 | Resistor, Fixed Film | CC40101-019FX | 29 |
| 3500S-2-103L | Potentiometer | 2214B0041 | 29 |
| 5935-99-940-1947 | Plug Electrical | 99-940-1947 | 28 |
| 2492B0010 | Regulator Voltage LT138AK | LT138AK | 28 |
| 2333B0534 | .LED Indicator | 615-503-22 | 28 |
| IM18-220 | Nozzle | IM18-220 | 27 |
| IM13-217 | Nozzle | IM13-217 | 27 |
| 2524T0030 | Gland | LST32-FMC-PG29 | 27 |

| | | | |
|------------------|---|------------------|----|
| 1TL1-1 | SWITCH, TYPE 1TL1-1 | 2415B0047 | 27 |
| IM16-218 | Nozzle | IM16-218 | 26 |
| 2280B0055 | IC | MM54C86J | 26 |
| 0968941 | Dome Top Cable Gland | 0968941 | 26 |
| IM11-212 | Nozzle | IM11-212 | 25 |
| 6210-99-520-0844 | Light Indicator 24 Volts | LH34GREEN | 25 |
| 5970-99-223-6890 | BOOT HEAT SHRINK | 208W012-3-0 | 25 |
| 5940-99-802-9440 | Terminal Lug | 32561 | 25 |
| 5925-99-781-6441 | CCT Breaker | 482-G212-K1M1-A1 | 25 |
| 5920-99-012-0077 | FUSE LINK CARTRIDGE | 012/0077 | 25 |
| 5910-99-744-2245 | Capacitor | DS23053 | 25 |
| 5905-99-101-9632 | Variable Resistor | 224P1-500 | 25 |
| 5970-99-539-0278 | Insulation Sleeving Electrical | RNF100TYPE1BLUE | 24 |
| 5930-99-428-3173 | SWITCH | AP40972 | 24 |
| 5920-99-059-0119 | 7 amp Fuse | 99-059-0119 | 24 |
| 5920-99-520-4680 | FUSE,CARTRIDGE | L562-5 | 23 |
| 2TL1-1A | SWITCH,TOGGLE | 2415B0012 | 23 |
| MPN120523 | Brass Cable Gland M40x1.5 | 53112050 | 22 |
| 5935-00-581-7838 | Plug | 33-1817-1 | 22 |
| 2805-99-020-7521 | Ring Piston | X.2838 | 22 |
| 2410B0321 | Switch, Pushbutton | A0101X | 22 |
| 5961-99-118-8419 | Transistor (Airworthy) | 40673 | 21 |
| 5940-00-168-3483 | Terminal Lug | CVC855-7 | 21 |
| 5920-99-059-0113 | Fuse Cartridge 7.000A | L693 7A | 21 |
| 2410B0331 | Switch Pushbutton | AML21J-B-A-2-AD | 21 |
| FM02A-125V1-10A | Littelfuse 125V FM02A Mil Micro Fuse 100A | FM02A-125V1-10A | 20 |
| BSGCAB-0307 | BSG210 Type A 1/0.4 Blue | BSGCAB-0307 | 20 |
| 80/10/1351 | Lampholder | 2333B0094 | 20 |
| 6210-99-942-9576 | Light Indicator | 80-10-1069 | 20 |
| 5999-99-015-1285 | CONTACT,ELECTRICAL | 99-015-1285 | 20 |
| 5961-99-118-2565 | Transistor | 2N708 | 20 |
| 5910-00-107-2629 | Capacitor Fixed Electrical | 5910-00-107-2629 | 20 |
| 5905-00-351-6102 | Resistor | RLR20C563G12 | 20 |

| | | | |
|-------------------|--|------------------|----|
| 416470 | Size 12 Contact | 416470 | 20 |
| 2333B0664 | LED 8.1MM | 537-501-63 | 20 |
| 2333B0503 | Diode White | 205-997-22-38 | 20 |
| 172259 | Connector N Type For LMR-500 | 172259 | 20 |
| 103057 | LED | 677-501-23 | 20 |
| 102883 | LED | 534-532-63 | 20 |
| 0876397 | CD-STMS Software | 0876397 | 20 |
| 5961-99-118-4171 | Transistor | BC107 | 19 |
| 5940-99-653-8422 | SLEEVE | B-801-46 | 19 |
| 5930-14-362-2730 | Toggle Switch | 61763119 | 19 |
| 5920-15-066-8813 | Bottle Fuse | 5SB141 | 19 |
| 2280B0197 | I.C. | HM6264BLP-10 | 19 |
| 10000030802 | Connector | 508-1-31088-100 | 19 |
| 5920-99-580-0505 | Fuse Link | TDA304 | 18 |
| IM16-21819 | Nozzle | IM16-21819 | 17 |
| 5905-00-279-3416 | Resistor, Fixed Composition | RC42GF330J | 17 |
| 5961-99-118-2586 | Semiconductor | BYX52-300 | 16 |
| 5935-99-972-0708 | Adaptor Electrical Plug | 480-350 (CR60511 | 16 |
| 5930-99-440-0732 | Switch Micro (Airworthy) | 5SEN3 | 16 |
| 5905-99-013-5335 | RESISTOR | CECC40101-019 | 16 |
| JAN2N2219 | Transistor | JAN2N2219 | 15 |
| IM22.5-223 | Nozzle | IM22.5-223 | 15 |
| DRDV00647 | Rubber Neoprene Sponge Self Adhesive Strip CF2 | 10mtr x14mm x8mm | 15 |
| BTICINOBOX3MODULE | Bticino Box, 3 Module | 503E | 15 |
| 5961-99-709-0305 | Semiconductor Device | SD200N16PC | 15 |
| 5940-99-646-2027 | Terminal Board | 464-9867 | 15 |
| 5935-99-254-2992 | Back Shell | KTKK 0444 | 15 |
| 5935-99-222-0014 | Connector | B37M27E001X99 | 15 |
| 5925-99-781-6440 | CCT Breaker | 482-K14-LN2-15A | 15 |
| 5920-99-646-0087 | Fuse Cartridge 1.600A | S500-1.6A | 15 |
| 5920-99-059-0120 | Fuse Cartridge | 059-0120 | 15 |
| 5910-99-667-1712 | CAPACITOR | AP 470NK500 | 15 |
| 5910-99-525-4872 | Capacitor Fixed Plastic | W1MATROPYFOLF | 15 |

| | | | |
|------------------|---|------------------|----|
| 5310-99-108-1390 | Washer | 36BC895 | 15 |
| 2280B0059 | I.C. | MM54C32J | 15 |
| 1365200 | EPM System | 1365200 | 15 |
| 02-1759-GR | Cap Dimming | 2333B0604 | 15 |
| PS2501-2 | IC | PS2501-2 | 14 |
| IM22.5-22325 | Nozzle | IM22.5-22325 | 14 |
| 5970-99-638-6300 | INSULATION SLEEVING | A258 | 14 |
| 16W004032 | Washer Nylon | 16W004032 | 14 |
| 5935-99-254-2994 | Back Shell | KTKK 0446 | 13 |
| 5940-99-647-6934 | Terminal Lug | 151437 | 12 |
| 5920-99-970-6860 | Fuse, Cartridge | UA50 | 12 |
| 5910-99-765-9962 | CAPACITOR | 031 34331 | 12 |
| 4730-01-316-5783 | CLAMP, HOSE | 01-316-5783 | 12 |
| 2280B0066 | I.C. | MC14194BCP | 12 |
| 2280B0065 | I.C. | LM747J | 12 |
| 6210-99-012-7423 | Lens Indication Light | 80-10-1560-Green | 11 |
| 5970-99-251-2202 | Backshell | KTKK-0447A | 11 |
| 5962-99-7707-398 | Digital Microcircuit | HD1-6402-B | 11 |
| 5962-99-770-7398 | MICROCIRCUIT | 5962-99-770-7398 | 11 |
| 5962-99-755-3888 | Integrated Circuit | UA7812UC | 11 |
| 5962-99-118-5025 | MICROCIRCUIT DIGITAL | SN7427N | 11 |
| 5961-99-096-3828 | Diode | SD200R16PC | 11 |
| 5935-99-643-9754 | COVER | 600067-08-12 | 11 |
| 5935-99-015-0292 | Connector | 508-1-31208-100 | 11 |
| 5905-99-027-1756 | RESISTOR,VARIABLE | 4239-264 | 11 |
| 5905-99-015-7044 | Resistor | 990157044 | 11 |
| 5306-99-851-1590 | Bolt Machine | AS44025 | 11 |
| 1365000 | EPM System | 1365000 | 11 |
| 1062B0003 | Eyebolt With Collar | M12 | 11 |
| 02-1256-BL/RD | Cap Dimming (BLACK/RED) | 2333B0093 | 11 |
| LTS32-FMC-PG29 | | LTS32-FMC-PG29 | 10 |
| L4380/BEXTENDED | Living Light Backup Battery | L4380/BEXTENDED | 10 |
| L1501NO.20 | Sewing Thread-NOMEX-111-Guterman Undyed | L1501NO.20 | 10 |

| | | | |
|------------------|----------------------------------|------------------|----|
| 6665-99-520-9410 | Lamp, Safety Flame | 1A | 10 |
| 6210-99-787-3163 | Light Indicator | 51-040-005 | 10 |
| 5970-99-434-6814 | Insulation Sleeving Electrical | 228A021-3 | 10 |
| 5962-99-118-4667 | Micorrcircuit, Digital | 5962-99-118-4667 | 10 |
| 5962-99-038-0781 | Microcircuit | 5473F | 10 |
| 5962-01-250-5740 | Microcircuit Digital | M38510/65203BCA | 10 |
| 5962-00-190-4021 | Microcircuit | SNC5404J | 10 |
| 5961-99-037-5210 | Transistor | 2N2846 | 10 |
| 5961-99-015-3987 | Transistor | 2N3823 | 10 |
| 5961-01-383-5579 | Transistor | MMBTH10 | 10 |
| 5961-00-082-4020 | Semiconductor | 1N3825A | 10 |
| 5940-99-795-3061 | Terminal Lug (Airworthy) | 130663 | 10 |
| 5940-01-375-9470 | Terminal Lug | 741-039-001 | 10 |
| 5940-01-345-2469 | Splice (Airworthy) | D-150-0237 | 10 |
| 5940-01-315-5985 | Splice (Airworthy) | D-150-9133 | 10 |
| 5935-01-098-6252 | Connector | D38999/26FD35PN | 10 |
| 5930-99-465-9466 | Switch | C5503AT RED | 10 |
| 5920-99-923-4054 | Fuse cartridge | X1933 | 10 |
| 5920-99-711-5908 | Pad Cushioning | 4225 | 10 |
| 5920-99-012-0067 | Fuse Cartridge | 99-012-0067 | 10 |
| 5910-99-789-5728 | Capacitor (Airworthy) | 402/1/57605/001 | 10 |
| 5910-99-620-4724 | Capacitor Fixed | 43-16HLA | 10 |
| 5905-99-755-0203 | Resistor | WH10-220R | 10 |
| 5340-99-933-3088 | Strap Line Supporting (Pack 100) | TY23M | 10 |
| 5000-462 | I.C. 14 Pin Dip | SN54LS04J-S2 | 10 |
| 2280B0266 | I.C. | CD54HCT541F/3A | 8 |
| 2280B0060 | I.C. | MM54C08J | 10 |
| 100B220GT-500 | Capacitor | 100B220GT-500 | 10 |
| UK42 | Yellow 2 Cell Waterproof Torch | UK42 | 9 |
| F9055001-21 | Backshell | ABS0638A10 | 9 |
| 70000420 | | 70000420 | 9 |
| 5962-99-648-5983 | Microcircuit | B4081BDES2 | 9 |
| 5962-99-038-0763 | Microcircuit Digital | 5451J | 9 |

| | | | |
|------------------|---|------------------|---|
| 5961-00-050-3523 | Transistor | 2N4236 | 9 |
| 5940-99-390-9563 | Sleeve Pack (packs of 10) | B-053-70-05 | 9 |
| 5935-99-527-3417 | Connector Plug 505WHI 5A 3PIN PLUG | 05685273417 | 9 |
| 5935-99-220-6615 | Plug | L1556 | 9 |
| 5935-00-560-4762 | Connector Receptacle | 402003 | 9 |
| 5925-12-148-7336 | Circuit Breaker (Airworthy) | 482-G212-K1M1-A1 | 9 |
| 5920-99-059-0131 | Fuse Cartridge 0.100A | B25414 | 9 |
| 5905-99-014-0531 | Resistor | RFH3-2-5-56 | 9 |
| 5805-99-258-0104 | Adaptor | 99-258-0104 | 9 |
| 3120-99-560-2216 | Bearing Sleeve Plastic Nylatron | 09GS08 | 9 |
| SN52709L | Semi Conductor | SN52709L | 8 |
| MPN105276 | Lug, Ring Terminal M10 185MM2 CSA | CU185-10 | 8 |
| M85049/39S15N | Connector | M85049/39S15NCC | 8 |
| L1154 | Alkaline Cell | L1154 | 8 |
| 5961-99-037-2036 | TRANSISTOR | CV7045 | 8 |
| 5945-00-973-2964 | Relay | A314XBX-24VDC | 8 |
| 5920BR3019464 | Fuse (KCVC1) | 70-090-13/10A | 8 |
| 5905-99-779-5297 | RESISTOR FXD | AD76566M001 | 8 |
| 5330-99-417-3224 | Retainer, Packing | 152-230-1670 | 8 |
| 5310-12-149-6561 | Lock Washer | 317.154 | 8 |
| 2280B0173 | I.C. | DS26LS32MJ/883 | 8 |
| 2252B0001 | Transistor | JANTX2N6766 | 8 |
| UK308 | Aluminium Penlight | UK308 | 7 |
| MS3180-08-CA | Connector | MS3180-08-CA | 7 |
| DRDN07673 | Neoprene Self Adhesive Strip 25mm 3mm THK | CF2 | 7 |
| 6250-99-764-8342 | Ballast Lamp | FB01233 | 7 |
| 6250-99-412-8499 | Lampholder | AP7990 | 7 |
| 5962-99-257-3014 | Microcircuit | SN74ALS244BN | 7 |
| 5961-99-116-7776 | Transistor | TX2N2369A | 7 |
| 5940-99-657-6868 | Sleeve Pack | B-053-70-03 | 7 |
| 5935-01-105-8513 | Connector | 82-5947 | 7 |
| 440S-M471772 | Switch Sensitive | 440S-M471772 | 7 |
| 102126 | LED, 12.7mm PANEL MOUNT - RED 538-501-63 | RS-666 7296 | 7 |

| | | | |
|-------------------|-----------------------------------|-------------------|---|
| EE-4GOSPREAMIFI | EE - 4G Osprey 2 Mini MiFi Unit | EE-4GOSPREAMIFI | 6 |
| DML054542 | Backshell | KTKK 1962 | 6 |
| DML051437 | Crimp Socket | M80-889-08-05 | 6 |
| 6240-99-255-7506 | Lamp Filament | 50028 | 6 |
| 6230-99-521-4855 | FLASHLIGHT | BM66S | 6 |
| 6220-99-541-1939 | Adaptor, Gland | 007-033-550 | 6 |
| 6110-99-528-4858 | Switch & Circuit Board Assy | 99-528-4858 | 6 |
| 5961-99-038-1957 | Transistor | 2N5038 | 6 |
| 5940-99-712-4990 | Termination Conductor (Airworthy) | 36161 | 6 |
| 5935-99-618-2832 | Adaptor | 79825 | 6 |
| 5920-99-822-5593 | Control Fuse Cartridge | 8WA1 882--7EF21 | 6 |
| 5920-99-444-4439 | Fuse Link | 5920-99-444-4439 | 6 |
| 560514140130 | ADH Epoxy Assembly | ECCOBOND 45LV | 6 |
| 5310-99-558-1609 | Nut Self Locking Hexagon | 8103740242 | 6 |
| 2590-99-236-7666 | Cap, Filler Opening | 124703 | 6 |
| 8121M1000681JCC42 | Resistor | 8121M1000681JCC42 | 5 |
| 5999-99-012-7420 | Cap | PH71105-01 | 5 |
| 5990-99-972-7665 | Pinion Synchro Zeroing | F500/9 | 5 |
| 5962-99-653-3277 | Microcircuit | SN54LS123J | 5 |
| 5962-99-118-3803 | IC | SN5400J | 5 |
| 5961-17-038-5660 | Semiconductor | 369469 | 5 |
| 5945-99-790-0671 | Relay Electromagnetic | J134D-26PM | 5 |
| 5945-99-017-2831 | Relay | BS9151F007-01-08 | 5 |
| 5940-99-999-3469 | TERMINAL | 383 | 5 |
| 5940-14-256-3455 | Terminal (Airworthy) | 130667 | 5 |
| 5935-99-972-8222 | Connector Electrical | 71-10-0408-03 | 5 |
| 5935-99-862-2926 | Jack Tip | 149-546 | 5 |
| 5935-99-519-9817 | Adaptor Connector | SAST102407 | 5 |
| 5935-99-500-5928 | Blank Fascia | 99-500-5928 | 5 |
| 5930-99-722-1281 | Guard Switch | 51-925.0 | 5 |
| 5930-99-255-2682 | Switch | V13C-F04343 | 5 |
| 5920-99-945-7711 | Fuse Cartridge | 99-945-7711 | 5 |
| 5920-99-529-2075 | Fuse Cartridge 0.200A | 99-529-2075 | 5 |

| | | | |
|------------------|---|------------------|---|
| 5920-14-354-1163 | Fuse 10A | V078034J | 5 |
| 5910-99-765-9968 | Capacitor, Fixed, Electrolytic | 031 38229 | 5 |
| 5905-99-945-9194 | Resistor | 224P1-502 | 5 |
| 5905-99-945-9189 | Resistor Variable | 224P1-101 | 5 |
| 5905-99-862-2926 | Jack Tip | 5905-99-862-2926 | 5 |
| 5905-99-527-3407 | Plug | P2BT | 5 |
| 4730-99-789-9892 | Coupling Half | HTE714-62H | 5 |
| 4730-99-524-6216 | Strainer Element Sediment Pn 223-5 | 4730-99-524-6216 | 5 |
| 1365190 | EPM System | 1365190 | 5 |
| 02-1375 | FLUSH CAP 02-1375/BLACK/RED | 2333B0077 | 5 |
| UK408 | Xtra Power LED Penlight | UK408 | 4 |
| UA709HM | Semi Conductor | UA709HM | 4 |
| TL7709ACP | IC | TL7709ACP | 4 |
| SC5794 | Power Supply | SC5794 | 4 |
| IM18-22022 | Nozzle | IM18-22022 | 4 |
| IM13-21719 | Nozzle | IM13-21719 | 4 |
| GBC1010-TM6 | Mount | GBC1010-TM6 | 4 |
| 6240-99-995-9122 | Lamp Incandescent | 05849959122 | 4 |
| 6210-00-842-9620 | Light Indicator | 95-9463-0931-361 | 4 |
| 6105-99-972-6563 | Motor Tachometer Generator | 11M10E2 | 4 |
| 5995-99-462-3957 | PLOCKET (Airworthy) | EDOMBM 1M00991 | 4 |
| 5970-99-910-7065 | Sleeve Insulation 1.5mm DIA Pink (Pack of 1000) | P15X20MMPINK | 4 |
| 5961-99-654-3361 | Transistor | 2N5038 | 4 |
| 5961-99-649-6408 | Transistor | BC337 | 4 |
| 5961-99-627-8232 | Transistor | 2N3020 | 4 |
| 5961-99-118-7529 | Diode | 3SB20 | 4 |
| 5961-01-048-7741 | Bridge Rectifier | 01-048-7741 | 4 |
| 5945-99-626-7783 | Relay | RJ1A-26S | 4 |
| 5945-99-624-5794 | Relay | HDS12SF2B60 | 4 |
| 5945-99-412-8079 | RELAY | 325/TS13255 | 4 |
| 5945-00-922-9201 | Relay | 408-1221-040 | 4 |
| 5935-99-700-7187 | Connector, Body, Plug, Electrical | UK-AN-6107-18-4S | 4 |
| 5935-99-654-6251 | Connector | 508/1/37209/000 | 4 |

| | | | |
|------------------|--|------------------|---|
| 5935-99-100-6548 | Jack Tip BOLTS MISSING | L1318 Black | 4 |
| 5935-99-014-9585 | Connector | 99-014-9585 | 4 |
| 5935-01-262-8297 | Backshell | 390HS001-M-1706- | 4 |
| 5930-12-333-3717 | Switch Thermostatic | 12-333-3717 | 4 |
| 5920-99-708-9401 | Fuse | 3513-724-08368 | 4 |
| 5920-99-513-6155 | Fuse, Cartridge | 259.125 | 4 |
| 5920-14-202-1884 | Fuse Cartridge 0.250A | FTT0034-5037 | 4 |
| 5920-12-165-8042 | Fuse Cartridge | 195-2A | 4 |
| 5910-99-772-0339 | Capacitor | CK05BX102K | 4 |
| 5905-99-538-0692 | Resistor Variable | L1 | 4 |
| 5905-99-024-2002 | Resistor Fixed | C41 | 4 |
| 5905-99-014-0451 | Resistor | BSCECC40201-002 | 4 |
| 5905-99-014-0430 | Resistor Fixed 6 Watt | 99-014-0430 | 4 |
| 560514230146 | ADH Epoxy 2part Kit | C530853092 | 4 |
| 5330-99-670-4534 | Gasket | FJ96135203A | 4 |
| 462701300112 | | 462701300112 | 4 |
| 3040-99-613-7898 | Ring Rod Piston | GR6500190-T47 | 4 |
| 2552B0543 | Clamp | UTG10AC | 4 |
| 2552B0541 | Clamp | UTG16AC | 4 |
| 2550B0579 | Plug | UTG61619PN | 4 |
| 2280B0241 | I.C. | CD54HCT10F/3A | 4 |
| 2231B0070 | Capacitor | 100V10%X7R | 4 |
| 104034 | Latch, Overcentre Draw | 21-1785 | 4 |
| 0876394 | Dual Cable (Sensor & Headphones) | 0876394 | 4 |
| UK252 | MAINS CHARGER FOR UK251/PS-RB2 | UK252 | 3 |
| TV01RW-11-35S-LC | Electrical Connector | TV01RW-11-35S-LC | 3 |
| PS-RB2 | RECHARGEABLE 4.8v 2000 mAh LANTERN BATTERY | PS-RB2 | 3 |
| NRQP-1524SJ | Cable 15Pair 24AWG Shielded | TMT-50304 | 3 |
| M61-728W1P | 24" Panel CRT | M61-728W1P | 3 |
| M24-125GHSG | CRT 9in | M24-125GHSG | 3 |
| L7BJFNUR8072149 | Nitomortar UA Part A/B Twin Pack | 1474100 | 3 |
| 6210-14-282-9956 | Lens Light | ZB2BV04 | 3 |
| 6210-01-417-8265 | INDICATOR | 10648MDE1-24 | 3 |

| | | | |
|------------------|---|------------------|---|
| 5990-99-972-0183 | Synchro Receiver Torque | 5990-99-972-0183 | 3 |
| 5990-00-677-6474 | Synchro Transmitter | 15CT6b | 3 |
| 5970-99-655-7152 | Insulation Sleeve | 202A142-12 | 3 |
| 5970-99-193-6504 | Insulation Sleeving | 301A022-3-0 | 3 |
| 5962-99-766-0443 | Microcircuit Digital | SN74ALS244AN | 3 |
| 5962-00-256-9386 | Semi Conductor | SN54121N | 3 |
| 5961-99-781-3584 | Diode | M41-100 | 3 |
| 5961-99-627-4560 | TRANSISTOR | 2N3677 | 3 |
| 5961-99-453-8699 | TRANSISTOR | MJ1005 | 3 |
| 5961-99-118-5465 | Semiconductor | 1S111 | 3 |
| 5961-99-037-3577 | Transistor | CV7454 | 3 |
| 5961-01-085-4002 | Diode | 1N5811 | 3 |
| 5940-99-117-9130 | Terminal Lug (Airworthy) | 152604 | 3 |
| 5935-99-956-3721 | Connector Plug Electrical | 99-956-3721 | 3 |
| 5935-99-015-1634 | Adaptor | CC/1588/006 | 3 |
| 5935-99-014-2785 | Connector | SR17H2 | 3 |
| 5930-99-999-5493 | Switch Toggle | 81058/BT13 | 3 |
| 5925-99-103-2891 | Circuit Breaker (Airworthy) | 99-103-2891 | 3 |
| 5920-99-727-1627 | Fuse Link Cartridge | NS32 | 3 |
| 5920-99-538-9840 | Fuseholder | SAKS3 KUP 045172 | 3 |
| 5920-14-201-7944 | Fuse Holder 10A | 7092.252 | 3 |
| 5910-99-648-7600 | Capacitor, Fixed Electrical | 03218151 | 3 |
| 5910-99-011-1458 | Capacitor 100nF Paper Dielectric | PC19215-1 | 3 |
| 5905-99-662-2835 | Resistor Variable | 70L1G103P102W | 3 |
| 5905-99-014-0413 | Resistor | 5905-99-014-0413 | 3 |
| 5905-99-013-5596 | Resistor Fixed Film | CECC40101-019120 | 3 |
| 2550B0581 | Plug | UTG6104PN | 3 |
| MPN136224 | CAMLOCK WITH KEYS | K330040-NI | 2 |
| MPN136052 | Kit, Locking Index Plunger 10MM Steel & Lock Nut | 32571-W0796 | 2 |
| HT3000RT-100 | Avdec Tape Lot No: | HT3000RT-100 | 2 |
| DML022036 | Bend 90 Degree Guardrail GRP Pigmented 32mmOD SR6 | SR6 | 2 |
| BSA217-Z6 | Screw 2-64UNFX3/16 | BSA217-Z6 | 2 |
| A282-20-0001 | PTFE ADH TAPE | A282-20-0001 | 2 |

| | | | |
|------------------|-------------------------------|------------------|---|
| 6210-99-112-5394 | Light | L1897-240 RED | 2 |
| 6210-01-417-8261 | INDICATOR | 10648MDE1-27 | 2 |
| 6150-00-655-2512 | Lead Electrical | MS25083-1BB7 | 2 |
| 5999-99-831-3643 | Holder | N64100 | 2 |
| 5990-99-014-9832 | Synchro Transmitter | 23CX4D | 2 |
| 5980-99-627-6720 | LED | HLMP-1401 | 2 |
| 5975-99-647-5706 | Boot | 203A211-25 | 2 |
| 5970-00-537-0682 | Air Worthy Insulation Bushing | 238464-000 | 2 |
| 5962-99-118-8136 | Integrated Circuit | DG129AP | 2 |
| 5962-00-160-5028 | Semiconductor | DM5473J883B | 2 |
| 5961-99-118-6158 | Diode | BAV22 | 2 |
| 5961-99-037-5473 | Diode | BS9300-C777 | 2 |
| 5950-99-527-0972 | Transformer | B30-93373-77 | 2 |
| 5945-12-172-5311 | Relay | 033 200 3029 | 2 |
| 5940-99-977-7559 | Splice In-Line | D-436-82 | 2 |
| 5940-99-519-5552 | Terminal Board | 99-519-5552 | 2 |
| 5935-99-914-5187 | Connector | CA3108E10SL3SF80 | 2 |
| 5935-99-894-0814 | Plug Electrical | 5935-99-894-0814 | 2 |
| 5935-99-638-2558 | Connector | DA15S | 2 |
| 5935-99-337-1338 | Connector | F2PNM-HC | 2 |
| 5935-99-015-0166 | Socket Electrical | 99-015-0166 | 2 |
| 5935-12-314-4572 | Connectors | GZY871 | 2 |
| 5935-01-100-4604 | Connector | L4PNR | 2 |
| 5935-00-843-9462 | Connector | MC11E10-6SN | 2 |
| 5930-99-631-3793 | Switch Toggle | 2TL1-3 | 2 |
| 5930-99-531-3174 | Switch Push | PM6-12 | 2 |
| 5930-99-257-9131 | Sensitive Switch | 440S-M471770-10 | 2 |
| 5920-99-011-9679 | Fuse Cartridge | 5920-99-011-9679 | 2 |
| 5920-00-539-6752 | Thermal Protection Fuse | 314005 | 2 |
| 5910-99-652-5730 | Capacitor | B2A10301B | 2 |
| 5910-99-116-3118 | Capacitor | 478020144S | 2 |
| 5910-01-291-4187 | Capacitor FX | 96-111371 | 2 |
| 5905-99-799-3598 | Resistor Variable | 404/8/02686/103 | 2 |

| | | | |
|------------------|---|------------------|---|
| 5905-99-580-2746 | RESISTOR, VARIABLE | 224L1-500 | 2 |
| 5905-99-014-0469 | Resistor, Fixed, W.Wind.3.3 Kilo | BSCECC40201-002 | 2 |
| 5905-99-013-5481 | Resistor | 99-013-5481 | 2 |
| 5905-99-013-0267 | Resistor | RVC18A | 2 |
| 5905-00-489-0154 | Resistor | 224P1-203 | 2 |
| 5340-99-782-1767 | Mount Anti-Vibration | GB22002-12 | 2 |
| 5306-99-137-6627 | Bolt Machine | AS20906 | 2 |
| 4WAYCHARGER | 4 Way Charger 6 pk | GP-PB350 | 2 |
| 4730-99-570-5669 | Nipple Pipe | U6 | 2 |
| 4730-99-556-3464 | Reducer | OEM 102059 | 2 |
| 4730-01-227-1958 | Coupling Assembly | AE 82801R | 2 |
| 4330-22-257-1128 | Filter Fluid | 023U4040 | 2 |
| 3120-99-251-1789 | Washer Thrust | 4183/78 | 2 |
| 10000037411 | Backshell | NC81733090010SBH | 2 |
| ZC5800 | DIODE | ZC5800 | 1 |
| VC10 | Vibration Calibrator | VC10 | 1 |
| UK100 | BLACK FLOATING RUBBER LANTERN (K4.8 bulb) C/W PJ996 BATTERY | UK100 | 1 |
| THP-M-E-V-NG6 | Solenoid Valve | THP-M-E-V-NG6 | 1 |
| SC5860 | Power Supply | SC5860 | 1 |
| SC5829 | Transformer 70V (Without Jack Plugs) | SC5829 | 1 |
| RG213RG8LMR400 | Angle Connector | RG213 RG8 LMR400 | 1 |
| R266010000 | BNC Connector TRX Series | R266010000 | 1 |
| P300 | Wind Sensor | P300 | 1 |
| P299 | Wind Sensor | P299 | 1 |
| MM54C86J | I.C. | MM54C86J | 1 |
| LQ9D011K | SHARP 640*480 TFT LCD PANEL | LQ9D011K | 1 |
| L4380/BSTANDARD | Living Light Backup Battery | L4380/BSTANDARD | 1 |
| L1142 | Alkaline Cell | L1142 | 1 |
| DMSS06116 | Chockfast Blue Repair Compound (2 part product A & B) | DMSS06116 | 1 |
| 9999-22-258-1684 | Dehydrator Desiccant Refrigerant | 023Z5006 | 1 |
| 7320-99-800-6049 | Whisk | 434809 | 1 |
| 6625-99-634-8509 | Indicator Elapsed Time | 60-842-808 | 1 |
| 6240-99-995-9121 | Lamp Filament Cap Type M.F | ZV3335 | 1 |

| | | | |
|------------------|--------------------------------------|------------------|---|
| 6240-99-995-3255 | Lamp Filiment | 99-995-3255 | 1 |
| 6240-99-995-2519 | Lamp, Incandescent | 8GH002089251 | 1 |
| 6150-99-752-7337 | Lead Electrical | AGS 2097-B7C | 1 |
| 6135-99-234-3927 | Lithium Battery | 6450101501-CR245 | 1 |
| 5990-99-547-0891 | Synchro Reciever Transmitter | 18TRX4A | 1 |
| 5985-99-637-0441 | Dummy Load | GE35010-50 | 1 |
| 5961-99-661-3328 | Transistor | TIP41C | 1 |
| 5961-99-037-4991 | DIODE | CV9982 | 1 |
| 5961-99-037-4292 | Semiconductor Device Photo | CV9013 | 1 |
| 5961-99-037-2649 | SEMICONDUCTOR DEVICE,DIODE | CV7242 | 1 |
| 5961-00-846-4919 | Transistor | 352-0055-000 | 1 |
| 5960-99-037-3987 | Valve | 6F60 | 1 |
| 5950-99-532-0881 | Inductor Radio Frequency | GR102597 | 1 |
| 5945-99-525-6365 | Relay Electromagnetic | 5945-99-525-6365 | 1 |
| 5945-99-440-0265 | RELAY | BR210C3P1 | 1 |
| 5945-00-103-7555 | Relay Electromagnetic | 00-103-7555 | 1 |
| 5940-99-999-6898 | | 5940-99-999-6898 | 1 |
| 5940-99-621-8297 | Terminal Assembly (Airworthy) | 150037-1 | 1 |
| 5940-99-562-2203 | Adaptor | N15P12E999X99 | 1 |
| 5940-00-283-5281 | TERMINAL LUG (Airworthy) | 320575 | 1 |
| 5935-99-911-3612 | Adaptor | 99-911-3612 | 1 |
| 5935-99-656-1077 | Connector | 1BK507150-2 | 1 |
| 5935-99-656-1076 | Connector | 1BK507150-1 | 1 |
| 5935-99-519-9818 | Adaptor | GE502 | 1 |
| 5935-99-137-4669 | | 5935-99-137-4669 | 1 |
| 5935-99-059-4014 | | SJTG06RT14-19S01 | 1 |
| 5935-99-015-1361 | Cable Kit | CC1579-052 | 1 |
| 5935-99-014-1443 | Connector Electrical | 99-014-1443 | 1 |
| 5935-12-308-8841 | Plug Free 90 | 12-308-8841 | 1 |
| 5935-01-035-7651 | Connector | MS3456L22-22S | 1 |
| 5935-00-954-2911 | Connector Receptacle | 5-826951-0 | 1 |
| 5930-99-823-8824 | Switch (read memo for order details) | GV3-550ANDGVLR1 | 1 |
| 5930-99-755-0062 | SWITCH, ROTARY | RP1412D | 1 |

| | | | |
|------------------|-----------------------------|------------------|---|
| 5930-99-547-2636 | SWITCH THERMOSTATIC | PC-74141-2 | 1 |
| 5930-99-440-2002 | Activator Micro Switch | JVN8 | 1 |
| 5920-99-972-6966 | Fuse Cartridge | TIA2 | 1 |
| 5920-99-710-9010 | Fuse | L562-2.5a | 1 |
| 5920-99-059-0170 | Fuseholder | 99-059-0170 | 1 |
| 5910-99-798-1088 | Capacitor, Fixed Electrical | 2222-114-18472 | 1 |
| 5910-99-116-6505 | Capacitor | 10024639-104 | 1 |
| 5905-99-627-2848 | RESISTOR | JS1N060P103UA | 1 |
| 5905-99-097-0306 | Clip | 5905-99-097-0306 | 1 |
| 5821-99-196-4508 | Spring Chuck | 430054-01 | 1 |
| 5330-99-758-2993 | Gasket | 521863-01 | 1 |
| 5330-99-520-1953 | Gasket | 08985201953 | 1 |
| 5330-00-599-5831 | Gasket | AN763-40 | 1 |
| 533-4-00100-244 | IC | SN54LS244J | 1 |
| 5325-99-349-6441 | RING RETAINING | YRE037A110-BLA | 1 |
| 5310-00-807-1474 | Nut | T6S1032J | 1 |
| 4210-00-116-5291 | Valve, Discharge | 9292460 | 1 |
| 4130-99-853-3572 | Filter (1 Pk of 10) | | 1 |
| 390DS008M1008M3 | Backshell | 390DS008M1008M3 | 1 |
| 2280B0180 | I.C. | LM320-H-5.0 | 1 |
| 2030-99-238-1301 | MAKE UP PIECE | 89-437 | 1 |
| 1032159/00 | Terminal Lug | 1032159/00 | 1 |